

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	713/189.ccls. and ((first and second) near5 (token or key)) and ((first and second) near5 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:09
L2	1	713/189.ccls. and (pcr near4 register) and ((first and second) near5 (token or key)) and ((first and second) near5 component)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:06
L3	7	713/189.ccls. and (pcr near4 register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:06
L4	6	I3 not I2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:06
L5	0	I4 and ((physical and virtual) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:08
L6	3	I4 and "trusted platform module"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:09
L7	20	713/189.ccls. and "trusted platform module"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:09
L8	19	I7 not I2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:11
L9	5	I8 and seal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 09:12

EAST Search History

L10	14	l8 not l9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:13
L11	429	cbc and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:13
L12	24	l11 and (generat\$5 near5 password)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:33
L13	32	l11 and (generat\$5 near5 (third near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:33
L14	18	l13 and ((first and second) near5 (block or portion))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 10:34
S1	2	(unseal or un-seal) near token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/03 08:59
S2	8	(unseal or un-seal) near5 token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:04
S3	6	S2 not S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:09
S4	2	"4278837".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:16
S5	3	"4307214".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:43

EAST Search History

S6	2	"4366537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:48
S7	2	"4521852".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:49
S8	2	"5075842".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 14:55
S9	2	"5022077".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:00
S10	2	"5255379".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:00
S11	2	"5293424".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:00
S12	2	"5421006".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:01
S13	2	"5459869".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:02
S14	2	"5473692".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:03
S15	2	"5479509".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:03

EAST Search History

S16	2	"5568552".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:48
S17	799	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:49
S18	718	S17 and bet\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 15:50
S19	279	S18 and signature	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:06
S20	0	S19 and (multi-token near5 object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:07
S21	0	S19 and (multi-token near5 seal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:16
S22	3	S19 and (seal\$5 near5 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:17
S23	3	S17 and (seal\$5 near5 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:18
S24	0	S23 not S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:17
S25	53	S17 and ((digital near4 sign\$7) near8 message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:20

EAST Search History

S26	207	S17 and ((commit\$7 or digital) near5 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:24
S27	4	S26 and auction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/26 16:21
S28	8	S26 and ballot	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:50
S29	1	bed\$6 and (commitment near5 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 09:54
S30	9	bid\$6 and (commitment near5 signature)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:17
S31	2	"5,794,219".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 10:15
S32	73	bid\$6 and (asymmetric near3 key) and ((public and private) near3 key) and (digest or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:44
S33	2	(commitment near5 signature) and arani	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:49
S34	149	virtual near3 (smart near card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:50
S35	4	S34 and (asymmetric near3 key) and ((public and private) near3 key) and (digest or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:42

EAST Search History

S36	11	S34 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:44
S37	2	(commitment near5 signature) and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:30
S38	1	S32 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:49
S39	0	S34 and S32	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:50
S40	0	(token and (virtual near token)) and (electrical\$5 near10 (seal and unseal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:55
S41	2	(token and (virtual near token)) same (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:55
S42	6	(token and (virtual near token)) and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:55
S43	4	S42 not S41	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 12:55
S44	27	S34 and ((public and private) near3 key) and (digest or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:09
S45	11	S44 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:44

EAST Search History

S46	498	virtual near3 (token or (smart near card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:50
S47	66	S46 and "RSA" and (hash or digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:55
S48	60	S47 and ((public and private) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:02
S49	55	S48 and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:56
S50	15	S49 and seal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 13:57
S51	55	S48 and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:02
S52	54	(seal and unseal) and ((public and private) near3 key) and (digest or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:11
S53	0	S52 and (retreiv\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:12
S54	0	S52 and (retreiv\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:12
S55	42	S52 and (retriev\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:13

EAST Search History

S56	3	(commitment near5 signature) and (token and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:34
S57	1490	(token and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:54
S58	27	S57 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:38
S59	24	S57 and (cryptographic near seal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:39
S60	24	S59 not S58	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:39
S61	513	((smart near card) and (retriev\$5 near4 key) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:47
S62	17	S61 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:47
S63	14	S62 and (second near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:48
S64	3	(multi-token and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:02
S65	0	((secur\$5 near5 (software near distribution)) and (seal and unseal) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:04

EAST Search History

S66	8	((distribut\$5 near5 software) and (seal and unseal) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:07
S67	0	((distribut\$5 near5 software) and ((seal and unseal) near5 application) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:13
S68	801	713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:13
S69	36	S68 and S57	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:15
S70	3	S69 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:16
S71	13	S69 and (retriev\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:19
S72	1	S69 and (cryptographic near seal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:19
S73	3	S69 and (cryptographic\$5 near5 seal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:23
S74	11	S68 and (seal\$5 near2 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:23
S75	8	S74 not S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:23

EAST Search History

S76	13	(commitment near5 signature) and (((multiple or several or another) near5 key) and ((public and private) near key) and (hash or digest))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:18
S77	2	"20030037037"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 18:31
S78	2	"20030037237"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 18:31
S79	10447	encrypt near5 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:01
S80	6644	encrypted near key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:17
S81	47	S80 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:47
S82	1208	S80 and ((first and second) near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:31
S83	455	S82 and ((public and private) near key) and (hash or digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:19
S84	21	S83 and seal and unseal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:19
S85	6	S80 and (("first key" and "second key") and ("seal" and "unseal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:41

EAST Search History

S86	38	S80 and (stor\$5 near5 (device near3 environment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:41
S87	0	S86 and (("first key" and "second key") and ("seal" and "unseal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:42
S88	9	S86 and (((public and private) near8 key) and ("seal" and "unseal"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:47
S89	2027	"tpm"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:47
S90	31	S89 and S80	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:47
S91	20	S89 and (seal and unseal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:48
S92	16	S91 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 19:49
S93	14	S91 and ((public and private) near5 key) and "rsa"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:02
S94	2	"6148342".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:02
S95	2	"4757534".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:03

EAST Search History

S96	2	"20040166834"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:04
S97	2	"20040022237"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/02 20:04
S98	258	tpm and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:36
S99	182	S98 and configuration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 06:56
S10 0	55	S99 and token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:04
S10 1	0	08/872710.ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:04
S10 2	2	08/872710	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:04
S10 3	120	"trusted platform module" and register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:50
S10 4	91	S103 not S100	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:38
S10 5	51	S104 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:39

EAST Search History

S10 6	49	S105 and (hash or digest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 07:39
S10 7	49	"trusted platform module" and "platform configuration register"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 08:13
S10 8	2	"20030110372"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 08:13
S10 9	362	double near5 encryption	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:37
S11 0	0	S109 and ((environment near5 metrics) same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:38
S11 1	78	S109 and (environment same key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:38
S11 2	47	S111 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:41
S11 3	30	S112 and (public near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:58
S11 4	0	S113 and ((physical and virtual) near5 token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:49
S11 5	9	S113 and (smart near card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 13:49

EAST Search History

S11 6	0	S113 and (environment\$5 near4 criteri\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:43
S11 7	2	"20020002413"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:50
S11 8	1	p2000-197477	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:48
S11 9	0	"Contents distribution system, portable terminal player, and contents provider"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:49
S12 0	2375	"Contents distribution system"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:49
S12 1	2	S120 and tokue	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:49
S12 2	2	"20020031230"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/11 14:50
S12 3	21	(unseal or un-seal) near5 message	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:20
S12 4	17	S123 and (token or (smart near card)) and (public near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 15:31
S12 5	412	pcr near register	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:37

EAST Search History

S12 6	6	S125 and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:47
S12 7	4	"platform configuration register" and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:46
S12 8	72	"platform configuration register"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:47
S12 9	0	S128 and @pd<"20020222"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:46
S13 0	6939	"configuration register"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:00
S13 1	818	l6and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:47
S13 2	13	S130 and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:00
S13 3	9	S132 not S126	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 16:48
S13 4	68	"hardware configuration register"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:00
S13 5	0	S134 and 713/189.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:18

EAST Search History

S13 6	1	S134 and seal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/24 17:01
S13 7	10	seal and 713/167.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:27
S13 8	11003	multiple near5 key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:28
S13 9	772	S138 and (smart near card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:10
S14 0	435	S139 and ((public and private) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:30
S14 1	257	S140 and ((first and second) near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:32
S14 2	181	S141 and (encrypted near key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:54
S14 3	181	S142 and (decrypt\$5 near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 14:57
S14 4	71	S138 and ((smart near card) near10 (public near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:50
S14 5	2	"20020191791"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:50

EAST Search History

S14 6	2	"20020191792"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/25 15:50
S14 7	97	(physical and virtual) near5 token	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:06
S14 8	0	S147 and (retriev\$5 near5 (first near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:07
S14 9	0	S147 and (retreiv\$5 near5 (first near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:09
S15 0	1	S147 and (decrypt\$5 near5 (first near key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:10
S15 1	314	((retriev\$5 or decrypt\$5) near5 ((first and second) adj key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:21
S15 2	1	S151 and (smart adj card) and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:44
S15 3	4	S151 and (virtual adj machine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:44
S15 4	2	"6,363,486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/01 11:07
S15 5	2	"20030163711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:53

EAST Search History

S15 6	2	"6757824".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 10:56
S15 7	2	"20030097578"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 11:02
S15 8	6	"09287698"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:17
S15 9	2	"6363486".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:38
S16 0	1436	"key encryption key"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:38
S16 1	58	"key encryption key" near5 decrypt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:40
S16 2	8	S161 and kek	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/26 14:40